

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** CCS Lean Medium  
**Other means of identification** None.  
**Recommended use of the chemical and restrictions on use**  
**Recommended use** For oil painting.  
**Restrictions on use** Use in accordance with supplier's recommendations.

### Details of manufacturer or importer

**Company name** Chelsea Classical Studio  
**Address** 526 West 26th Street  
 Suite #415  
 New York, NY 10001  
**Telephone** 212-255-0206  
**Contact person** Brandon Soloff  
**Website** [www.chelseaclassicalstudiofineartmaterials.com](http://www.chelseaclassicalstudiofineartmaterials.com)  
**Emergency phone number** Call CHEMTREC day or night  
 USA/Canada - 1.800.424.9300  
 Mexico - 1.800.681.9531  
 Outside USA/Canada  
 1.703.527.3887

### Supplier/company/importer /distributor

**Company name** NEEF  
**Address** 4/72 Dandenong Road West,  
 Frankston, VIC 3199  
 Australia  
**Telephone** +61 3 9804 3390  
**Contact person** [luke@neef.com.au](mailto:luke@neef.com.au)  
**Website** [www.neef.com.au](http://www.neef.com.au)  
**Emergency phone number** +61 3 9804 3390, Fax +61 3 9783 5288

## 2. Hazard(s) identification

### Classification of the hazardous chemical

<b>Physical hazards</b>	Flammable liquids	Category 3
<b>Health hazards</b>	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2

### Label elements, including precautionary statements

#### Hazard symbol(s)



Flame

Exclamation  
mark

Environment

#### Signal word

Warning

**Hazard statement(s)** Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

**Precautionary statement(s)**

**Prevention**

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid breathing vapours. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment.

**Response**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media for extinction. Collect spillage.

**Storage**

Store in a well-ventilated place. Keep cool.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification**

None known.

**Supplemental information**

None.

### 3. Composition/information on ingredients

**Mixture**

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Lavender Spike Oil	8016-78-2	45 - 55
Linseed oil	8001-26-1	45 - 55

**Composition comments**

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**Description of necessary first aid measures**

**Inhalation**

Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact**

Take off immediately all contaminated clothing. If skin rash or an allergic skin reaction develops, get medical attention. Rinse skin with water/shower. Wash contaminated clothing before reuse.

**Eye contact**

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

**Ingestion**

Rinse mouth. Get medical attention if symptoms occur.

**Personal protection for first-aid responders**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**Symptoms caused by exposure**

Direct contact with eyes may cause temporary irritation. Skin irritation. May cause redness and pain. Sensitisation.

**Medical attention and special treatment**

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation.

### 5. Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing media**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

**Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical**

By heating and fire, toxic vapours/gases may be formed.

**Special protective equipment and precautions for fire fighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions**

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

**Hazchem Code**

3Y

**General fire hazards** Flammable liquid and vapour.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**For emergency responders** Wear appropriate protective equipment and clothing during clean-up.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**Methods and materials for containment and cleaning up** Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## 7. Handling and storage

**Precautions for safe handling** Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls and personal protection

**Control parameters** Follow standard monitoring procedures.

### Occupational exposure limits

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value	Form
Linseed oil (CAS 8001-26-1)	TWA	10 mg/m <sup>3</sup>	Inhalable mist.

#### Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value	Form
Linseed oil (CAS 8001-26-1)	TWA	10 mg/m <sup>3</sup>	Inspirable dust.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** No exposure standards allocated.

**Appropriate engineering controls** Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, for example personal protective equipment (PPE)

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>Hygiene measures</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Not available.
<b>Odour</b>	Not available.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	56.0 °C (132.8 °F)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidising agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on possible routes of exposure

<b>Inhalation</b>	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.
<b>Skin contact</b>	Causes skin irritation. Sensitive individuals may experience dermatitis after long exposure of oil on skin.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

<b>Symptoms related to exposure</b>	Skin irritation. Direct contact with eyes may cause temporary irritation. May cause redness and pain. Sensitisation.
<b>Acute toxicity</b>	May cause discomfort if swallowed.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/irritation</b>	Direct contact with eyes may cause temporary irritation.
<b>Respiratory or skin sensitisation</b>	
<b>Respiratory sensitisation</b>	Not a respiratory sensitiser.
<b>Skin sensitisation</b>	May cause allergic skin reaction.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Excessive inhalation of oil mist may affect the respiratory system.
<b>Other information</b>	No other specific acute or chronic health impact noted.

## 12. Ecological information

<b>Ecotoxicity</b>	Toxic to aquatic life with long lasting effects.
<b>Persistence and degradability</b>	The product is readily biodegradable in water.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	No data available for this product.
<b>Other adverse effects</b>	No data available.

## 13. Disposal considerations

<b>Disposal methods</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### ADG

<b>UN number</b>	1263
<b>UN proper shipping name</b>	Paint
<b>Transport hazard class(es)</b>	
<b>Class</b>	3
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Hazchem Code</b>	•3Y

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling. Australian Special Provision AU01 applies. Environmentally Hazardous Substances meeting the descriptions of UN3077 or UN3082 are not subject to this Code when transported by road or rail in; (a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or (b) IBCs.

### RID

<b>UN number</b>	1263
<b>UN proper shipping name</b>	Paint
<b>Transport hazard class(es)</b>	
<b>Class</b>	3
<b>Subsidiary risk</b>	-

**Label(s)** 3  
**Packing group** III  
**Environmental hazards** Yes  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

#### IATA

**UN number** 1263  
**UN proper shipping name** Paint  
**Transport hazard class(es)**  
**Class** 3  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards** Yes  
**ERG Code** 3L  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

#### IMDG

**UN number** 1263  
**UN proper shipping name** PAINT  
**Transport hazard class(es)**  
**Class** 3  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards**  
**Marine pollutant** Yes  
**EmS** F-E, S-E  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** This product is a liquid and when transported in bulk is covered under MARPOL 73/78 Annex II. This product is listed in the IBC Code.  
Ship type: 3  
Pollution category: Y

## 15. Regulatory information

### Safety, health and environmental regulations

**National regulations** No poison schedule number allocated. This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

#### **Australia Medicines & Poisons Appendix A**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix B**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix D**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix E**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix F**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix G**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix H**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix I**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix J**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Appendix K**

Poisons schedule number not allocated.

#### **Australia Medicines & Poisons Schedule 10**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 2**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 3**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 4**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 5**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 6**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 7**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 8**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 9**

Poisons schedule number not allocated.

**High Volume Industrial Chemicals (HVIC)**

Linseed oil (CAS 8001-26-1)

1000 - 9999 TONNES See the regulation for additional information.

**Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)**

Not listed.

**National Pollutant Inventory (NPI) substance reporting list**

Not listed.

**Prohibited Carcinogenic Substances**

Not regulated.

**Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)**

Not listed.

**Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)**

Not listed.

**Restricted Carcinogenic Substances**

Not regulated.

**International regulations****Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Montreal Protocol**

Not applicable.

**Basel Convention**

Not applicable.

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

**Issue date** 14-August-2017

**Revision date** -

**Disclaimer**

Chelsea Classical Studio Fine Art Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.